



CoreLine Panel – the clear choice for LED

CoreLine Panel

Whether for a new building or renovation of an existing space, customers want lighting solutions that provide quality of light and substantial energy and maintenance savings. The new CoreLine Panel range of LED products can be used to replace functional luminaires in general lighting applications. Both Non-Office Compliant (NOC) version and Office Compliant version (OC) are now available. The process of selecting, installing and maintaining is so easy – it's a simple switch.

Benefits

- Enables a simple switch from basic conventional luminaires to LED luminaires
- Energy savings of up to 50% compared to functional TL-D luminaires
- Uniform surface of light
- Easy connection (with looping)

Features

- Integrated LED technology
- Slim housing made from aluminum
- Choice of two color temperatures: 3000 and 4000 K
- Non-Office Compliant (NOC) version and Office Compliant version (OC) available
- Suspension and plaster-ceiling installations are possible with accessories
- Optional emergency lighting

Application

- Offices
- Retail
- Healthcare

Specifications

CoreLine Panel

Type	RC125B (module size 600 mm version) RC126B (module size 625 mm version)
Ceiling type	Exposed T-bar ceiling
Ceiling grid	Module size in length: 600 mm Module size in length: 625 mm
Light source	Non-replaceable LED module
Power (+/-10%)	Standard version: 41 W NOC version: 42 W
Beam angle	Standard version: 110° NOC version: 120°
Luminous flux	3400 lm
Correlated Color	3000 K
Temperature	4000 K
Color Rendering Index	> 80
Lumen maintenance at median useful life* 50000 h	L75


Control gear failure rate at median useful life 50000 h	5%
Performance Ambient Temperature Tq	+25 °C
Operating temperature range	+10 to +40°C
Driver	Built-in
Mains voltage	230 or 240 V / 50-60 Hz
Material	Housing: zinc-coated steel Rim and diffuser: plastic (aluminum rim for NOC versions) Optical cover: PMMA
Color	White
Connection	Push-in connector (PI) or with pull relief (PIP)
Maintenance	Optical module sealed for life; no internal cleaning required
Installation	Individual; lay-in in exposed ceiling grids No through-wiring possible
Remarks	Includes safety cable

Specifications

Type	RC127V (module size 600 x 600 and 300 x 1200 mm versions) RC128V (module size 625 x 625 mm version)
Ceiling type	Exposed T-bar ceiling
Ceiling grid	Module size in length: 600 mm Module size in length: 625 mm Module size in length: 1200 mm
Light source	Non-replaceable LED module
Power	42 W
Beam angle	120°
Luminous flux	3400 lm
Correlated Color	3000 K
Temperature	4000 K
Color Rendering Index	> 80
Median useful life L70B50	50,000 hours
Median useful life L80B50	30,000 hours
Median useful life L90B50	15,000 hours
Driver failure rate	0.38% per 5000 hours

Average ambient temperature	+25 °C
Operating temperature range	+10 to +40 °C
Driver	Separate
Mains voltage	220-240 V / 50-60 Hz
Dimming	DALI
Material	Housing: steel Rim: aluminum Diffuser: polystyrene
Color	White (RAL 9016)
Connection	Push-in connector (PI) or with pull relief (PIP)
Maintenance	Optical module sealed for life; no internal cleaning required
Installation	Individual; lay-in in exposed ceiling grids No through-wiring possible
Remarks	Includes safety cable

Versions




CoreLine Panel - LED module 3600
lm - 840 neutral white - Power supply unit with DALI interface



CoreLine Panel - LED module 3600
lm - 840 neutral white - Power supply unit with DALI interface

CoreLine Panel

Versions




CoreLine Panel RC125B NOC
recessed luminaire, module size 600



CoreLine Panel RC126B NOC
recessed luminaire, module size 625



CoreLine panel OC RC128V recessed
luminaire, square version (module
size 625)



CoreLine panel OC RC132V W30L60
recessed luminaire, rectangular version (module
size 600)



CoreLine panel OC RC127V recessed
luminaire, square version (module
size 600)



CoreLine panel OC RC127V recessed
luminaire, rectangular version (module
size 600)

Product details



CoreLine
Panel_RC132V_W60L60_RC133V_W
62L62_PSU-DPP.TIF



CoreLine Panel
RC132V_W60L60_RC133V_W62L62_
plaster ceiling-DPP.TIF

CoreLine Panel

Product details



CoreLine Panel
RC132V_W60L60_RC133V_W62L62_
surface mounted-DPP.TIF



CoreLine Panel
RC132V_W60L60_RC133V_W62L62_
suspended-DPP.TIF



CoreLine Panel_RC132V_connection
box-DPP.TIF



CoreLine
Panel_RC132V_RC133V_with
integrated driver-DPP.TIF



CoreLine
Panel_RC132V_W30L60_PSU-
DPP.TIF



CoreLine Panel
RC132V_W30L60_plaster ceiling-
DPP.TIF



CoreLine Panel
RC132V_W30L60_surface mounted-
DPP.TIF



CoreLine Panel
RC132V_W30L60_suspended-
DPP.TIF

CoreLine Panel

Product details

CoreLine
Panel_RC132V_W30L120_PSU-
DPP.TIF



CoreLine Panel
RC132V_W30L120_plaster ceiling-
DPP.TIF

CoreLine Panel
RC132V_W30L120_surface mounted-
DPP.TIF



CoreLine Panel
RC132V_W30L120_suspended-
DPP.TIF

Panel_Acc-RC125Z_SMB_W60L60 -
DPP.TIF



Panel_Acc-RC125Z_SMB_W30L120 -
DPP.TIF



Panel_Acc-RC125Z_SMB_PLC-
DPP.TIF

CoreLine
Panel_RC132V_W60L60_RC133V_W
62L62_IA1-DPP.TIF



CoreLine Panel

Product details

CoreLine
Panel_RC132V_W30L120_IA1-
DPP.TIF



Accessories

Suspension set with electrical cable,
2-pole

Ordercode 910503910138



Suspension set with electrical cable,
4-pole

Ordercode 910503910139



CORELINE PANEL NOC ACC.

Ordercode 910930031018,
910930031118



CORELINE PANEL NOC ACC.

Ordercode 910930031218



CORELINE PANEL NOC ACC.

Ordercode 910930031318



CORELINE PANEL NOC ACC.

Ordercode 910930031518



CoreLine Panel

Accessories

CORELINE PANEL NOC ACC.

Ordercode 910930031618



Application Conditions

Ambient temperature range +10 to +40 °C

General Information

CE mark CE mark

Driver included Yes

Flammability mark For mounting on normally flammable surfaces

Glow-wire test Temperature 650 °C, duration 30 s

Light source replaceable No

Number of gear units 1 unit

Initial Performance (IEC Compliant)

Init. Color Rendering Index ≥80

Luminous flux tolerance +/-10%

Mechanical and Housing

Color White

Application Conditions

Order Code	Full Product Name	Maximum dim	
		level	Suitable for random switching
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910307	RC132V LED36S/840 PSU W60L60 NOC	Not applicable	Not applicable
910503910310	RC132V LED36S/840 PSU W60L60 OC	Not applicable	Not applicable
910503910311	RC132V LED34S/830 PSU W60L60 OC	Not applicable	Not applicable
910503910312	RC133V LED36S/840 PSU W62L62 OC	Not applicable	Not applicable
910503910313	RC133V LED34S/830 PSU W62L62 OC	Not applicable	Not applicable
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483127	RC132V LED36S/840 W60L60 IA1 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483128	RC132V LED34S/830 W60L60 IA1 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483129	RC133V LED36S/840 W62L62 IA1 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483165	RC132V LED36S/840 PSD W60L60 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483166	RC132V LED34S/830 PSD W60L60 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483171	RC132V LED34S/830 PSU W60L60 NOC	Not applicable	Not applicable
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)

Order Code	Full Product Name	Maximum dim	
		level	Suitable for random switching
910500465361	RC132V LED36S/840 W30L120 ELB3 - IA1 NOC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910500465363	RC132V LED36S/840 W30L120 ELB3 - IA1 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910309	RC132V LED36S/840 PSU W30L120 NOC	Not applicable	Not applicable
910503910314	RC132V LED36S/840 PSU W30L120 OC	Not applicable	Not applicable
910503910315	RC132V LED34S/830 PSU W30L120 OC	Not applicable	Not applicable
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483130	RC132V LED36S/840 W30L120 IA1 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483169	RC132V LED36S/840 PSD W30L120 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
912401483170	RC132V LED36S/830 PSD W30L120 OC	10%	Yes (relates to presence/ movement detection and daylight harvesting)
910503910255	RC125B LED36S/840 PSU W60L60 NOC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910256	RC125B LED34S/830 PSU W60L60 NOC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910257	RC126B LED36S/840 PSU W62L62 NOC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910258	RC126B LED34S/830 PSU W62L62 NOC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910267	RC128V LED34S/840 PSU W62L62 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910268	RC128V LED32S/830 PSU W62L62 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910269	RC128V LED34S/840 PSD W62L62 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)
910503910270	RC128V LED32S/830 PSD W62L62 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)
910503910327	RC128V LED36S/840 PSU W62L62 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910328	RC128V LED34S/830 PSU W62L62 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910329	RC128V LED36S/840 PSD W62L62 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)
910503910330	RC128V LED34S/830 PSD W62L62 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)
910503910308	RC132V LED18S/840 PSU W30L60 NOC	Not applicable	Not applicable
910503910319	RC127V LED36S/840 PSU W60L60 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910320	RC127V LED34S/830 PSU W60L60 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910323	RC127V LED36S/840 PSD W60L60 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)

Order Code	Full Product Name	Maximum dim	
		level	Suitable for random switching
910503910324	RC127V LED34S/830 PSD W60L60 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)
910503910321	RC127V LED36S/840 PSU W30L120 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910322	RC127V LED34S/830 PSU W30L120 OC	-	Yes (relates to presence/ movement detection and daylight harvesting)
910503910325	RC127V LED36S/840 PSD W30L120 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)
910503910326	RC127V LED34S/830 PSD W30L120 OC	1%	Yes (relates to presence/ movement detection and daylight harvesting)

Approval and Application

Order Code	Full Product Name	Mech. impact protection code	Ingress protection code
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	IK02	IP20/44
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	IK02	IP20/44
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	IK02	IP20/44
910503910307	RC132V LED36S/840 PSU W60L60 NOC	IK03	IP20/44
910503910310	RC132V LED36S/840 PSU W60L60 OC	IK03	IP20/44
910503910311	RC132V LED34S/830 PSU W60L60 OC	IK03	IP20/44
910503910312	RC133V LED36S/840 PSU W62L62 OC	IK03	IP20/44
910503910313	RC133V LED34S/830 PSU W62L62 OC	IK03	IP20/44
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	IK02	IP20/44
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	IK02	IP20/44
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	IK02	IP20/44
912401483127	RC132V LED36S/840 W60L60 IA1 OC	IK02	IP20/44
912401483128	RC132V LED34S/830 W60L60 IA1 OC	IK02	IP20/44
912401483129	RC133V LED36S/840 W62L62 IA1 OC	IK02	IP20/44
912401483165	RC132V LED36S/840 PSD W60L60 OC	IK03	IP20/44
912401483166	RC132V LED34S/830 PSD W60L60 OC	IK03	IP20/44
912401483171	RC132V LED34S/830 PSU W60L60 NOC	IK03	IP20/44
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	IK02	IP20/44
910500465361	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	IK02	IP20/44
910500465363	RC132V LED36S/840 W30L120 ELB3 IA1 OC	IK02	IP20/44
910503910309	RC132V LED36S/840 PSU W30L120 NOC	IK03	IP20/44

Order Code	Full Product Name	Mech. impact protection code	Ingress protection code
910503910314	RC132V LED36S/840 PSU W30L120 OC	IK03	IP20/44
910503910315	RC132V LED34S/830 PSU W30L120 OC	IK03	IP20/44
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	IK02	IP20/44
912401483130	RC132V LED36S/840 W30L120 IA1 OC	IK02	IP20/44
912401483169	RC132V LED36S/840 PSD W30L120 OC	IK03	IP20/44
912401483170	RC132V LED36S/830 PSD W30L120 OC	IK03	IP20/44
910503910255	RC125B LED36S/840 PSU W60L60 NOC	IK02	IP20/44
910503910256	RC125B LED34S/830 PSU W60L60 NOC	IK02	IP20/44
910503910257	RC126B LED36S/840 PSU W62L62 NOC	IK02	IP20/44
910503910258	RC126B LED34S/830 PSU W62L62 NOC	IK02	IP20/44
910503910267	RC128V LED34S/840 PSU W62L62 OC	IK02	IP20/44
910503910268	RC128V LED32S/830 PSU W62L62 OC	IK02	IP20
910503910269	RC128V LED34S/840 PSD W62L62 OC	IK02	IP20/44
910503910270	RC128V LED32S/830 PSD W62L62 OC	IK02	IP20
910503910327	RC128V LED36S/840 PSU W62L62 OC	IK02	IP20/44
910503910328	RC128V LED34S/830 PSU W62L62 OC	IK02	IP20/44
910503910329	RC128V LED36S/840 PSD W62L62 OC	IK02	IP20/44
910503910330	RC128V LED34S/830 PSD W62L62 OC	IK02	IP20/44
910503910308	RC132V LED18S/840 PSU W30L60 NOC	IK03	IP20/44
910503910319	RC127V LED36S/840 PSU W60L60 OC	IK02	IP20/44
910503910320	RC127V LED34S/830 PSU W60L60 OC	IK02	IP20
910503910323	RC127V LED36S/840 PSD W60L60 OC	IK02	IP20/44
910503910324	RC127V LED34S/830 PSD W60L60 OC	IK02	IP20/44
910503910321	RC127V LED36S/840 PSU W30L120 OC	IK02	IP20/44
910503910322	RC127V LED34S/830 PSU W30L120 OC	IK02	IP20
910503910325	RC127V LED36S/840 PSD W30L120 OC	IK02	IP20/44
910503910326	RC127V LED34S/830 PSD W30L120 OC	IK02	IP20/44

Controls and Dimming

Order Code	Full Product Name	Dimmable
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	Yes
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	Yes
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	Yes
910503910307	RC132V LED36S/840 PSU W60L60 NOC	No

Order Code	Full Product Name	Dimmable
910503910310	RC132V LED36S/840 PSU W60L60 OC	No
910503910311	RC132V LED34S/830 PSU W60L60 OC	No
910503910312	RC133V LED36S/840 PSU W62L62 OC	No
910503910313	RC133V LED34S/830 PSU W62L62 OC	No

CoreLine Panel

Order Code	Full Product Name	Dimmable
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	Yes
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	Yes
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	Yes
912401483127	RC132V LED36S/840 W60L60 IA1 OC	Yes
912401483128	RC132V LED34S/830 W60L60 IA1 OC	Yes
912401483129	RC133V LED36S/840 W62L62 IA1 OC	Yes
912401483165	RC132V LED36S/840 PSD W60L60 OC	Yes
912401483166	RC132V LED34S/830 PSD W60L60 OC	Yes
912401483171	RC132V LED34S/830 PSU W60L60 NOC	No
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	Yes
910500465361	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	Yes
910500465363	RC132V LED36S/840 W30L120 ELB3 IA1 OC	Yes
910503910309	RC132V LED36S/840 PSU W30L120 NOC	No
910503910314	RC132V LED36S/840 PSU W30L120 OC	No
910503910315	RC132V LED34S/830 PSU W30L120 OC	No
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	Yes
912401483130	RC132V LED36S/840 W30L120 IA1 OC	Yes
912401483169	RC132V LED36S/840 PSD W30L120 OC	Yes
912401483170	RC132V LED36S/830 PSD W30L120 OC	Yes
910503910255	RC125B LED36S/840 PSU W60L60 NOC	No

Order Code	Full Product Name	Dimmable
910503910256	RC125B LED34S/830 PSU W60L60 NOC	No
910503910257	RC126B LED36S/840 PSU W62L62 NOC	No
910503910258	RC126B LED34S/830 PSU W62L62 NOC	No
910503910267	RC128V LED34S/840 PSU W62L62 OC	No
910503910268	RC128V LED32S/830 PSU W62L62 OC	No
910503910269	RC128V LED34S/840 PSD W62L62 OC	Yes
910503910270	RC128V LED32S/830 PSD W62L62 OC	Yes
910503910327	RC128V LED36S/840 PSU W62L62 OC	No
910503910328	RC128V LED34S/830 PSU W62L62 OC	No
910503910329	RC128V LED36S/840 PSD W62L62 OC	Yes
910503910330	RC128V LED34S/830 PSD W62L62 OC	Yes
910503910308	RC132V LED18S/840 PSU W30L60 NOC	No
910503910319	RC127V LED36S/840 PSU W60L60 OC	No
910503910320	RC127V LED34S/830 PSU W60L60 OC	No
910503910323	RC127V LED36S/840 PSD W60L60 OC	Yes
910503910324	RC127V LED34S/830 PSD W60L60 OC	Yes
910503910321	RC127V LED36S/840 PSU W30L120 OC	No
910503910322	RC127V LED34S/830 PSU W30L120 OC	No
910503910325	RC127V LED36S/840 PSD W30L120 OC	Yes
910503910326	RC127V LED34S/830 PSD W30L120 OC	Yes

Operating and Electrical

Order Code	Full Product Name	Input Voltage
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	220 to 240 V
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	220 to 240 V
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	220 to 240 V
910503910307	RC132V LED36S/840 PSU W60L60 NOC	220 to 240 V
910503910310	RC132V LED36S/840 PSU W60L60 OC	220 to 240 V
910503910311	RC132V LED34S/830 PSU W60L60 OC	220 to 240 V
910503910312	RC133V LED36S/840 PSU W62L62 OC	220 to 240 V
910503910313	RC133V LED34S/830 PSU W62L62 OC	220 to 240 V
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	220-240 V
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	220-240 V
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	220-240 V
912401483127	RC132V LED36S/840 W60L60 IA1 OC	220-240 V
912401483128	RC132V LED34S/830 W60L60 IA1 OC	220-240 V
912401483129	RC133V LED36S/840 W62L62 IA1 OC	220-240 V
912401483165	RC132V LED36S/840 PSD W60L60 OC	220 to 240 V
912401483166	RC132V LED34S/830 PSD W60L60 OC	220 to 240 V
912401483171	RC132V LED34S/830 PSU W60L60 NOC	220 to 240 V
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	220 to 240 V
910500465361	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	220 to 240 V
910500465363	RC132V LED36S/840 W30L120 ELB3 IA1 OC	220 to 240 V
910503910309	RC132V LED36S/840 PSU W30L120 NOC	220 to 240 V
910503910314	RC132V LED36S/840 PSU W30L120 OC	220 to 240 V
910503910315	RC132V LED34S/830 PSU W30L120 OC	220 to 240 V
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	220-240 V

Order Code	Full Product Name	Input Voltage
912401483130	RC132V LED36S/840 W30L120 IA1 OC	220-240 V
912401483169	RC132V LED36S/840 PSD W30L120 OC	220 to 240 V
912401483170	RC132V LED36S/830 PSD W30L120 OC	220 to 240 V
910503910255	RC125B LED36S/840 PSU W60L60 NOC	220 to 240 V
910503910256	RC125B LED34S/830 PSU W60L60 NOC	220 to 240 V
910503910257	RC126B LED36S/840 PSU W62L62 NOC	220 to 240 V
910503910258	RC126B LED34S/830 PSU W62L62 NOC	220 to 240 V
910503910267	RC128V LED34S/840 PSU W62L62 OC	220 to 240 V
910503910268	RC128V LED32S/830 PSU W62L62 OC	220 to 240 V
910503910269	RC128V LED34S/840 PSD W62L62 OC	220 to 240 V
910503910270	RC128V LED32S/830 PSD W62L62 OC	220 to 240 V
910503910327	RC128V LED36S/840 PSU W62L62 OC	220 to 240 V
910503910328	RC128V LED34S/830 PSU W62L62 OC	220 to 240 V
910503910329	RC128V LED36S/840 PSD W62L62 OC	220 to 240 V
910503910330	RC128V LED34S/830 PSD W62L62 OC	220 to 240 V
910503910308	RC132V LED18S/840 PSU W30L60 NOC	220 to 240 V
910503910319	RC127V LED36S/840 PSU W60L60 OC	220 to 240 V
910503910320	RC127V LED34S/830 PSU W60L60 OC	220 to 240 V
910503910323	RC127V LED36S/840 PSD W60L60 OC	220 to 240 V
910503910324	RC127V LED34S/830 PSD W60L60 OC	220 to 240 V
910503910321	RC127V LED36S/840 PSU W30L120 OC	220 to 240 V
910503910322	RC127V LED34S/830 PSU W30L120 OC	220 to 240 V
910503910325	RC127V LED36S/840 PSD W30L120 OC	220 to 240 V
910503910326	RC127V LED34S/830 PSD W30L120 OC	220 to 240 V

General Information (1/2)

CoreLine Panel

Order Code	Full Product Name	Beam	Cap-	Protection class	ENEC
		angle of light source			
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	120 °	-	Safety class I	-
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	-	-	Safety class I	-
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	-	-	Safety class I	-
910503910307	RC132V LED36S/840 PSU W60L60 NOC	120 °	-	Safety class II	ENEC mark
910503910310	RC132V LED36S/840 PSU W60L60 OC	120 °	-	Safety class II	ENEC mark
910503910311	RC132V LED34S/830 PSU W60L60 OC	120 °	-	Safety class II	ENEC mark
910503910312	RC133V LED36S/840 PSU W62L62 OC	120 °	-	Safety class II	ENEC mark
910503910313	RC133V LED34S/830 PSU W62L62 OC	120 °	-	Safety class II	ENEC mark
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	120 °	-	Safety class I	ENEC mark
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	120 °	-	Safety class I	ENEC mark
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	120 °	-	Safety class I	ENEC mark
912401483127	RC132V LED36S/840 W60L60 IA1 OC	120 °	-	Safety class I	ENEC mark
912401483128	RC132V LED34S/830 W60L60 IA1 OC	120 °	-	Safety class I	ENEC mark
912401483129	RC133V LED36S/840 W62L62 IA1 OC	120 °	-	Safety class I	ENEC mark
912401483165	RC132V LED36S/840 PSD W60L60 OC	120 °	-	Safety class II	ENEC mark
912401483166	RC132V LED34S/830 PSD W60L60 OC	120 °	-	Safety class II	ENEC mark
912401483171	RC132V LED34S/830 PSU W60L60 NOC	120 °	-	Safety class II	ENEC mark
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	120 °	-	Safety class I	-
910500465361	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	-	-	Safety class I	-
910500465363	RC132V LED36S/840 W30L120 ELB3 IA1 OC	-	-	Safety class I	-
910503910309	RC132V LED36S/840 PSU W30L120 NOC	120 °	-	Safety class II	ENEC mark
910503910314	RC132V LED36S/840 PSU W30L120 OC	120 °	-	Safety class II	ENEC mark
910503910315	RC132V LED34S/830 PSU W30L120 OC	120 °	-	Safety class II	ENEC mark
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	120 °	-	Safety class I	ENEC mark

Order Code	Full Product Name	Beam	Cap-	Protection class	ENEC
		angle of light source			
912401483130	RC132V LED36S/840 W30L120 IA1 OC	120 °	-	Safety class I	ENEC mark
912401483169	RC132V LED36S/840 PSD W30L120 OC	120 °	-	Safety class II	ENEC mark
912401483170	RC132V LED36S/830 PSD W30L120 OC	120 °	-	Safety class II	ENEC mark
910503910255	RC125B LED36S/840 PSU W60L60 NOC	-	-	Safety class II	-
910503910256	RC125B LED34S/830 PSU W60L60 NOC	-	-	Safety class II	-
910503910257	RC126B LED36S/840 PSU W62L62 NOC	-	-	Safety class II	-
910503910258	RC126B LED34S/830 PSU W62L62 NOC	-	-	Safety class II	-
910503910267	RC128V LED34S/840 PSU W62L62 OC	-	-	Safety class II	ENEC mark
910503910268	RC128V LED32S/830 PSU W62L62 OC	-	-	Safety class II	ENEC mark
910503910269	RC128V LED34S/840 PSD W62L62 OC	-	-	Safety class II	ENEC mark
910503910270	RC128V LED32S/830 PSD W62L62 OC	-	-	Safety class II	ENEC mark
910503910327	RC128V LED36S/840 PSU W62L62 OC	-	-	Safety class II	ENEC mark
910503910328	RC128V LED34S/830 PSU W62L62 OC	-	-	Safety class II	ENEC mark
910503910329	RC128V LED36S/840 PSD W62L62 OC	-	-	Safety class II	ENEC mark
910503910330	RC128V LED34S/830 PSD W62L62 OC	-	-	Safety class II	ENEC mark
910503910308	RC132V LED18S/840 PSU W30L60 NOC	120 °	-	Safety class II	ENEC mark
910503910319	RC127V LED36S/840 PSU W60L60 OC	-	-	Safety class II	ENEC mark
910503910320	RC127V LED34S/830 PSU W60L60 OC	-	-	Safety class II	ENEC mark
910503910323	RC127V LED36S/840 PSD W60L60 OC	-	-	Safety class II	ENEC mark
910503910324	RC127V LED34S/830 PSD W60L60 OC	-	-	Safety class II	ENEC mark
910503910321	RC127V LED36S/840 PSU W30L120 OC	-	-	Safety class II	ENEC mark
910503910322	RC127V LED34S/830 PSU W30L120 OC	-	-	Safety class II	ENEC mark
910503910325	RC127V LED36S/840 PSD W30L120 OC	-	-	Safety class II	ENEC mark
910503910326	RC127V LED34S/830 PSD W30L120 OC	-	-	Safety class II	ENEC mark

CoreLine Panel

General Information (2/2)

Order Code	Full Product Name	Gear	Lamp family code	Optic type	Product Family Code	Type description	UL mark
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	-	LED36	-	RC132V	-	-
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	-	-	-	RC132V	-	-
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	-	-	-	RC132V	-	-
910503910307	RC132V LED36S/840 PSU W60L60 NOC	-	LED36S	Beam angle 110°	-	-	-
910503910310	RC132V LED36S/840 PSU W60L60 OC	-	LED36S	Beam angle 90°	-	-	-
910503910311	RC132V LED34S/830 PSU W60L60 OC	-	-	Beam angle 90°	-	-	-
910503910312	RC133V LED36S/840 PSU W62L62 OC	-	LED36S	Beam angle 90°	-	-	-
910503910313	RC133V LED34S/830 PSU W62L62 OC	-	-	Beam angle 90°	-	-	-
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	-	-	-	-	-	-
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	-	-	-	-	-	-
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	-	-	-	-	-	-
912401483127	RC132V LED36S/840 W60L60 IA1 OC	-	-	-	-	-	-
912401483128	RC132V LED34S/830 W60L60 IA1 OC	-	-	-	-	-	-
912401483129	RC133V LED36S/840 W62L62 IA1 OC	-	-	-	-	-	-
912401483165	RC132V LED36S/840 PSD W60L60 OC	-	-	Beam angle 90°	-	-	-
912401483166	RC132V LED34S/830 PSD W60L60 OC	-	-	Beam angle 90°	-	-	-
912401483171	RC132V LED34S/830 PSU W60L60 NOC	-	-	Beam angle 110°	-	-	-
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	-	LED36	-	RC132V	-	-
910500465361	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	-	-	-	-	-	-
910500465363	RC132V LED36S/840 W30L120 ELB3 IA1 OC	-	-	-	RC132V	-	-
910503910309	RC132V LED36S/840 PSU W30L120 NOC	-	LED36S	Beam angle 110°	-	-	-
910503910314	RC132V LED36S/840 PSU W30L120 OC	-	LED36S	Beam angle 90°	-	-	-
910503910315	RC132V LED34S/830 PSU W30L120 OC	-	-	Beam angle 90°	-	-	-
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	-	-	-	-	-	-
912401483130	RC132V LED36S/840 W30L120 IA1 OC	-	-	-	-	-	-
912401483169	RC132V LED36S/840 PSD W30L120 OC	-	-	Beam angle 90°	-	-	-
912401483170	RC132V LED36S/830 PSD W30L120 OC	-	-	Beam angle 90°	-	-	-
910503910255	RC125B LED36S/840 PSU W60L60 NOC	-	LED36S	-	-	-	-
910503910256	RC125B LED34S/830 PSU W60L60 NOC	-	LED32S	-	-	-	-
910503910257	RC126B LED36S/840 PSU W62L62 NOC	-	LED36S	-	-	-	-
910503910258	RC126B LED34S/830 PSU W62L62 NOC	-	LED32S	-	-	-	-
910503910267	RC128V LED34S/840 PSU W62L62 OC	-	LED34S	-	RC128V	Office compliant version	-
910503910268	RC128V LED32S/830 PSU W62L62 OC	-	LED32S	-	RC128V	Office compliant version	-
910503910269	RC128V LED34S/840 PSD W62L62 OC	-	LED34S	-	RC128V	Office compliant version	-
910503910270	RC128V LED32S/830 PSD W62L62 OC	-	LED32S	-	RC128V	Office compliant version	-
910503910327	RC128V LED36S/840 PSU W62L62 OC	-	LED36S	-	-	-	-
910503910328	RC128V LED34S/830 PSU W62L62 OC	-	-	-	-	-	-
910503910329	RC128V LED36S/840 PSD W62L62 OC	-	LED36S	-	-	-	-
910503910330	RC128V LED34S/830 PSD W62L62 OC	-	-	-	-	Office compliant version	-
910503910308	RC132V LED18S/840 PSU W30L60 NOC	-	-	Beam angle 110°	-	-	-
910503910319	RC127V LED36S/840 PSU W60L60 OC	-	LED36S	-	-	-	-
910503910320	RC127V LED34S/830 PSU W60L60 OC	-	LED34S	-	-	Office compliant version	-
910503910323	RC127V LED36S/840 PSD W60L60 OC	-	LED36S	-	-	-	-
910503910324	RC127V LED34S/830 PSD W60L60 OC	-	LED32S	-	-	-	-
910503910321	RC127V LED36S/840 PSU W30L120 OC	-	LED36S	-	-	-	-
910503910322	RC127V LED34S/830 PSU W30L120 OC	-	LED34S	-	-	Office compliant version	-
910503910325	RC127V LED36S/840 PSD W30L120 OC	-	LED36S	-	-	-	-
910503910326	RC127V LED34S/830 PSD W30L120 OC	-	LED32S	-	-	Office compliant version	-

Initial Performance (IEC Compliant) (1/2)

CoreLine Panel

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910307	RC132V LED36S/840 PSU W60L60 NOC	(0.38, 0.38) SDCM <5	4000 K	110 lm/W	3600 lm
910503910310	RC132V LED36S/840 PSU W60L60 OC	(0.38, 0.38) SDCM <5	4000 K	110 lm/W	3600 lm
910503910311	RC132V LED34S/830 PSU W60L60 OC	(0.44, 0.41) SDCM <5	3000 K	105 lm/W	3400 lm
910503910312	RC133V LED36S/840 PSU W62L62 OC	(0.38, 0.38) SDCM <5	4000 K	110 lm/W	3600 lm
910503910313	RC133V LED34S/830 PSU W62L62 OC	(0.44, 0.41) SDCM <5	3000 K	105 lm/W	3400 lm
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	(0.44, 0.41) SDCM <5	3000 K	94 lm/W	3400 lm
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
912401483127	RC132V LED36S/840 W60L60 IA1 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
912401483128	RC132V LED34S/830 W60L60 IA1 OC	(0.44, 0.41) SDCM <5	3000 K	94 lm/W	3400 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
912401483129	RC133V LED36S/840 W62L62 IA1 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
912401483165	RC132V LED36S/840 PSD W60L60 OC	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	3600 lm
912401483166	RC132V LED34S/830 PSD W60L60 OC	(0.44, 0.41) SDCM <5	3000 K	100 lm/W	3400 lm
912401483171	RC132V LED34S/830 PSU W60L60 NOC	(0.44, 0.41) SDCM <5	3000 K	105 lm/W	3400 lm
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910500465361	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910500465363	RC132V LED36S/840 W30L120 ELB3 IA1 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910309	RC132V LED36S/840 PSU W30L120 NOC	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	3600 lm
910503910314	RC132V LED36S/840 PSU W30L120 OC	(0.38, 0.38) SDCM <5	4000 K	110 lm/W	3600 lm
910503910315	RC132V LED34S/830 PSU W30L120 OC	(0.44, 0.41) SDCM <5	3000 K	105 lm/W	3400 lm
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
912401483130	RC132V LED36S/840 W30L120 IA1 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
912401483169	RC132V LED36S/840	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	3600 lm

CoreLine Panel

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD W30L120 OC				
912401483170	RC128V LED36S/830 PSD W30L120 OC	(0.44, 0.41) SDCM <5	3000 K	100 lm/W	3600 lm
910503910255	RC125B LED36S/840 PSU W60L60 NOC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910256	RC125B LED34S/830 PSU W60L60 NOC	(0.44, 0.41) SDCM <5	3000 K	94 lm/W	3400 lm
910503910257	RC126B LED36S/840 PSU W62L62 NOC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910258	RC126B LED34S/830 PSU W62L62 NOC	(0.44, 0.41) SDCM <5	3000 K	94 lm/W	3400 lm
910503910267	RC128V LED34S/840 PSU W62L62 OC	(0.38, 0.38) SDCM <5	4000 K	94 lm/W	3400 lm
910503910268	RC128V LED32S/830 PSU W62L62 OC	(0.44, 0.41) SDCM <5	3000 K	78 lm/W	3200 lm
910503910269	RC128V LED34S/840 PSD W62L62 OC	(0.38, 0.38) SDCM <5	4000 K	94 lm/W	3400 lm
910503910270	RC128V LED32S/830 PSD W62L62 OC	(0.44, 0.41) SDCM <5	3000 K	78 lm/W	3200 lm
910503910327	RC128V LED36S/840 PSU W62L62 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910328	RC128V LED34S/830	(0.38, 0.38) SDCM <5	3000 K	94 lm/W	3400 lm
	PSU W62L62 OC				
	PSU W62L62 OC				
910503910329	RC128V LED36S/840 PSD W62L62 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910330	RC128V LED34S/830 PSD W62L62 OC	(0.44, 0.41) SDCM <5	3000 K	94 lm/W	3400 lm
910503910308	RC132V LED18S/840 PSU W30L60 NOC	(0.38, 0.38) SDCM <5	4000 K	110 lm/W	1800 lm
910503910319	RC127V LED36S/840 PSU W60L60 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910320	RC127V LED34S/830 PSU W60L60 OC	(0.44, 0.41) SDCM <5	3000 K	83 lm/W	3400 lm
910503910323	RC127V LED36S/840 PSD W60L60 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910324	RC127V LED34S/830 PSD W60L60 OC	(0.44, 0.41) SDCM <5	3000 K	94 lm/W	3400 lm
910503910321	RC127V LED36S/840 PSU W30L120 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910322	RC127V LED34S/830 PSU W30L120 OC	(0.44, 0.41) SDCM <5	3000 K	83 lm/W	3400 lm
910503910325	RC127V LED36S/840 PSD W30L120 OC	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3600 lm
910503910326	RC127V LED34S/830 PSD W30L120 OC	(0.44, 0.41) SDCM <5	3000 K	94 lm/W	3400 lm

Initial Performance (IEC Compliant) (2/2)

CoreLine Panel

Order Code	Full Product Name	Initial input power
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	40 W
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	36 W
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	40 W
910503910307	RC132V LED36S/840 PSU W60L60 NOC	33 W
910503910310	RC132V LED36S/840 PSU W60L60 OC	33 W
910503910311	RC132V LED34S/830 PSU W60L60 OC	33 W
910503910312	RC133V LED36S/840 PSU W62L62 OC	33 W
910503910313	RC133V LED34S/830 PSU W62L62 OC	33 W
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	34 W
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	34 W
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	34 W
912401483127	RC132V LED36S/840 W60L60 IA1 OC	34 W
912401483128	RC132V LED34S/830 W60L60 IA1 OC	34 W
912401483129	RC133V LED36S/840 W62L62 IA1 OC	34 W
912401483165	RC132V LED36S/840 PSD W60L60 OC	35 W
912401483166	RC132V LED34S/830 PSD W60L60 OC	35 W
912401483171	RC132V LED34S/830 PSU W60L60 NOC	33 W
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	36 W
910500465361	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	36 W
910500465363	RC132V LED36S/840 W30L120 ELB3 IA1 OC	36 W
910503910309	RC132V LED36S/840 PSU W30L120 NOC	33 W
910503910314	RC132V LED36S/840 PSU W30L120 OC	33 W
910503910315	RC132V LED34S/830 PSU W30L120 OC	33 W
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	34 W

Order Code	Full Product Name	Initial input power
912401483130	RC132V LED36S/840 W30L120 IA1 OC	34 W
912401483169	RC132V LED36S/840 PSD W30L120 OC	35 W
912401483170	RC132V LED36S/830 PSD W30L120 OC	35 W
910503910255	RC125B LED36S/840 PSU W60L60 NOC	36 W
910503910256	RC125B LED34S/830 PSU W60L60 NOC	36 W
910503910257	RC126B LED36S/840 PSU W62L62 NOC	36 W
910503910258	RC126B LED34S/830 PSU W62L62 NOC	36 W
910503910267	RC128V LED34S/840 PSU W62L62 OC	36 W
910503910268	RC128V LED32S/830 PSU W62L62 OC	41 W
910503910269	RC128V LED34S/840 PSD W62L62 OC	36 W
910503910270	RC128V LED32S/830 PSD W62L62 OC	41 W
910503910327	RC128V LED36S/840 PSU W62L62 OC	36 W
910503910328	RC128V LED34S/830 PSU W62L62 OC	36 W
910503910329	RC128V LED36S/840 PSD W62L62 OC	36 W
910503910330	RC128V LED34S/830 PSD W62L62 OC	36 W
910503910308	RC132V LED18S/840 PSU W30L60 NOC	16 W
910503910319	RC127V LED36S/840 PSU W60L60 OC	36 W
910503910320	RC127V LED34S/830 PSU W60L60 OC	41 W
910503910323	RC127V LED36S/840 PSD W60L60 OC	36 W
910503910324	RC127V LED34S/830 PSD W60L60 OC	36 W
910503910321	RC127V LED36S/840 PSU W30L120 OC	36 W
910503910322	RC127V LED34S/830 PSU W30L120 OC	41 W
910503910325	RC127V LED36S/840 PSD W30L120 OC	36 W
910503910326	RC127V LED34S/830 PSD W30L120 OC	36 W

Mechanical and Housing

Order Code	Full Product Name	Diameter	Geometry	Width
910500465357	RC132V LED36S/840 PSD W60L60 ELB3 OC	-	-	- mm
910500465360	RC132V LED36S/840 W60L60 ELB3 IA1 NOC	-	-	-
910500465362	RC132V LED36S/840 W60L60 ELB3 IA1 OC	-	-	-
910503910307	RC132V LED36S/840 PSU W60L60 NOC	-	-	-
910503910310	RC132V LED36S/840 PSU W60L60 OC	-	-	-
910503910311	RC132V LED34S/830 PSU W60L60 OC	-	-	-
910503910312	RC133V LED36S/840 PSU W62L62 OC	-	-	-
910503910313	RC133V LED34S/830 PSU W62L62 OC	-	-	-
912401483123	RC132V LED36S/840 W60L60 IA1 NOC	-	-	-
912401483124	RC132V LED34S/830 W60L60 IA1 NOC	-	-	-
912401483125	RC133V LED36S/840 W62L62 IA1 NOC	-	-	-
912401483127	RC132V LED36S/840 W60L60 IA1 OC	-	-	-

Order Code	Full Product Name	Diameter	Geometry	Width
912401483128	RC132V LED34S/830 W60L60 IA1 OC	-	-	-
912401483129	RC133V LED36S/840 W62L62 IA1 OC	-	-	-
912401483165	RC132V LED36S/840 PSD W60L60 OC	-	-	-
912401483166	RC132V LED34S/830 PSD W60L60 OC	-	-	-
912401483171	RC132V LED34S/830 PSU W60L60 NOC	-	-	-
910500465358	RC132V LED36S/840 PSD W30L120 ELB3 OC	-	-	- mm
910500465361	RC132V LED36S/840 W30L120 ELB3 IA1 NOC	-	-	-
910500465363	RC132V LED36S/840 W30L120 ELB3 IA1 OC	-	-	-
910503910309	RC132V LED36S/840 PSU W30L120 NOC	-	-	-
910503910314	RC132V LED36S/840 PSU W30L120 OC	-	-	-
910503910315	RC132V LED34S/830 PSU W30L120 OC	-	-	-
912401483126	RC132V LED36S/840 W30L120 IA1 NOC	-	-	-

CoreLine Panel

Order Code	Full Product Name	Diameter	Geometry	Width	Order Code	Full Product Name	Diameter	Geometry	Width
912401483130	RC132V LED36S/840 W30L120 IA1 OC	-	-	-	910503910328	RC128V LED34S/830 PSU W62L62 OC	-	Width 0.62 m, length 0.62 m	-
912401483169	RC132V LED36S/840 PSD W30L120 OC	-	-	-	910503910329	RC128V LED36S/840 PSD W62L62 OC	-	-	-
912401483170	RC132V LED36S/830 PSD W30L120 OC	-	-	-	910503910330	RC128V LED34S/830 PSD W62L62 OC	-	-	-
910503910255	RC125B LED36S/840 PSU W60L60 NOC	-	Width 0.60 m, length 0.60 m	-	910503910308	RC132V LED18S/840 PSU W30L60 NOC	-	-	-
910503910256	RC125B LED34S/830 PSU W60L60 NOC	-	Width 0.60 m, length 0.60 m	-	910503910319	RC127V LED36S/840 PSU W60L60 OC	-	Width 0.60 m, length 0.60 m	-
910503910257	RC126B LED36S/840 PSU W62L62 NOC	-	Width 0.62 m, length 0.62 m	-	910503910320	RC127V LED34S/830 PSU W60L60 OC	-	Width 0.60 m, length 0.60 m	-
910503910258	RC126B LED34S/830 PSU W62L62 NOC	-	Width 0.62 m, length 0.62 m	-	910503910323	RC127V LED36S/840 PSD W60L60 OC	-	Width 0.60 m, length 0.60 m	-
910503910267	RC128V LED34S/840 PSU W62L62 OC	-	Width 0.62 m, length 0.62 m	-	910503910324	RC127V LED34S/830 PSD W60L60 OC	-	Width 0.60 m, length 0.60 m	-
910503910268	RC128V LED32S/830 PSU W62L62 OC	-	Width 0.62 m, length 0.62 m	-	910503910321	RC127V LED36S/840 PSU W30L120 OC	-	Width 0.30 m, length 1.20 m	-
910503910269	RC128V LED34S/840 PSD W62L62 OC	-	Width 0.62 m, length 0.62 m	-	910503910322	RC127V LED34S/830 PSU W30L120 OC	-	Width 0.30 m, length 1.20 m	-
910503910270	RC128V LED32S/830 PSD W62L62 OC	-	Width 0.62 m, length 0.62 m	-	910503910325	RC127V LED36S/840 PSD W30L120 OC	-	Width 0.30 m, length 1.20 m	-
910503910327	RC128V LED36S/840 PSU W62L62 OC	-	-	-	910503910326	RC127V LED34S/830 PSD W30L120 OC	-	Width 0.30 m, length 1.20 m	-

